

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of Issue: 09/11/2012 Revision date: 06/07/2018 Supersedes: 04/15/2016

SECTION 1: Identification

Identification

Product form : Mixture

Product name DOLOMITIC LIMESTONE Product code : C-MS-AT-2011CANCCA

Other means of identification CCA LIMESTONE, FCA LIMESTONE, MS-4, 1 Inch STONE

MARBLEMIX® - COARSE, MARBLEMIX® - PLUS, MARBLEMIX® - ULTRA DF 1000, DF 2000, DF 3015, DF 4070, DF 5025, DF 5020, DOLOCRON® 4013,

DOLOCRON® 4512 DOLOFIL® 2055, DOLOFIL® 4085, GS 1000, GS 2000, GS 2005, RF-

Version: 3.1

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Mineral additive

Supplier

Specialty Minerals Inc. 30 Daisy Hill Road Canaan, CT 06018

U.S.A.

1.4. Emergency telephone number

Emergency number

+1-760-476-3962

3E Global Emergency Response Services. Access code: 333336 (if you mention SDS name

and company name-you don't need the access code)

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Carcinogenicity Category 1A

H350

May cause cancer (Inhalation)

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

Danger

Hazard statements (GHS-US)

H350 - May cause cancer (Inhalation)

Precautionary statements (GHS-US)

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust.

P280 - Wear protective gloves, protective clothing, eye protection, face protection.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P405 - Store locked up.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the

classification

: Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

Substances

Not applicable

06/07/2018 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Dolomite	(CAS-No.) 16389-88-1	>= 80	Not classified
Tremolite (non-asbestos)	(CAS-No.) 14567-73-8	0.1 - 1	Not classified
Quartz	(CAS-No.) 14808-60-7	0.1 - 1	Carc. 1A, H350 STOT SE 3, H335 STOT SE 1, H370

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep at rest in a position comfortable for breathing. If

symptoms develop obtain medical attention.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. If symptoms develop, obtain medical attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If symptoms develop, obtain medical attention.

Rinse mouth. Do NOT induce vomiting. Give 100 - 200 ml of water to drink. If symptoms

develop, obtain medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

First-aid measures after ingestion

: Repeated and/or prolonged skin contact may cause irritation.

Symptoms/effects after eye contact

: May cause eye irritation,

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire.

5.2. Specific hazards arising from the chemical

Fire hazard

: None known.

Reactivity

: Reacts in contact with: Acids,

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment

: Use personal protective equipment as required.

Emergency procedures

: Evacuate unnecessary personnel. Avoid dust formation. Avoid contact with skin, eyes and

clothing. Do not breathe dust,

6.1.2. For emergency responders

Protective equipment

: Wear suitable protective clothing, gloves and eye or face protection. Where excessive dust may result, wear approved mask.

Emergency procedures

: Ensure adequate ventilation. Avoid dust formation. Do not breathe dust. Wear independent breathing equipment. Avoid contact with skin and eyes.

6.2, Environmental precautions

Notify authorities if large amounts of the product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

 Collect using vacuum cleaner fitted with HEPA filter. Sweep or shovel spills into appropriate container for disposal. Minimize generation of dust. Do not dry sweep dust. Store away from other materials.

06/07/2018

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

- : Provide appropriate exhaust ventilation at places where dust is formed. Avoid dust formation, Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not breathe dust.
- Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container closed when not in use. Keep only in the original container in a cool well

ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Quartz (14808-60-7)						
ACGIH	ACGIH TWA (mg/m³)	0,025 mg/m³ Respirable Fraction				
OSHA	OSHA PEL (TWA) (mg/m³)	0.1 mg/m³				
OSHA	OSHA PEL (Ceiling) (mg/m³)	0.05 mg/m³				
OSHA	Remark (OSHA)	(3) See Table Z-3.				
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts				

8.2. Appropriate engineering controls

Appropriate engineering controls

: Provide adequate ventilation, including appropriate local extraction, to ensure that occupational exposure limits are not exceeded. Provide appropriate exhaust ventilation at places where dust is formed.

Environmental exposure controls

: Avoid release to the environment.

Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear chemically resistant protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Use chemically protective clothing

Respiratory protection:

Dust mask or respirator

Thermal hazard protection:

Not required for normal conditions of use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

: Solid

Appearance

Powder.

Color

White

Odor

Odorless

Odor threshold

No data available

: No data available

06/07/2018

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point No data available Freezing point No data available Boiling point No data available Flash point No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative vapor density at 20 °C No data available

Relative density : 2.71

Solubility Water: Partially soluble Log Pow No data available Auto-ignition temperature No data available Decomposition temperature No data available No data available Viscosity, kinematic Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties Not explosive. Oxidizing properties Not oxidizing.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1, Reactivity

Reacts in contact with: Acids.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Can react violently with, acids.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Thermal decomposition generates: Calcium oxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (Inhalation).

			C		u	2	1	1	Z	(1	i	1	E	ļ	0	8	7.	6	()	7)	
ľ	*	**		-	****	-				 	-	•	•	•	•	•••		••••		•	•••	 -	•	 -

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

06/07/2018 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aspiration hazard

: Not classified

Symptoms/effects after inhalation

: May cause irritation to the respiratory tract.

Symptoms/effects after skin contact

: Repeated and/or prolonged skin contact may cause irritation.

Symptoms/effects after eye contact

: May cause eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

12.2. Persistence and degradability

No additional information available

12.3, Bioaccumulative potential

				ES		

Bioaccumulative potential

No bioaccumulation.

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming

: No known effects from this product.

GWPmix comment

: No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information

: No supplementary information available.

Transportation of Dangerous Goods

Proper Shipping Name (Transportation of Dangerous Goods)

: Not regulated for transport

Transport by sea

Proper Shipping Name (IMDG)

: Not regulated for transport

Air transport

Proper Shipping Name (IATA)

: Not regulated for transport

SECTION 15: Regulatory information

15.1, US Federal regulations

Dolomite (16389-88-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Tremolite (non-asbestos) (14567-73-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

06/07/2018

EN (English US)

5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Quartz (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Dolomite (16389-88-1)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Quartz (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

DOLOMITIC LIMESTONE

Determined as "Generally Recognized As Safe" (GRAS) by FDA - see 21 CFR 184,1409

All naturally occuring components of this product are automatically included in the USEPA TSCA inventory list per 4- CFR 710.4 (b). All other components are on the USEPA TSCA inventory list

Quartz (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Quartz (14808-6	30-7)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		1

Quartz (14808-60-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Revision date

: 06/07/2018

Data sources

U.S. 29CFR Part 1910

ACGIH Threshold Limit Values for Chemical Substances and Physical Agents and Biological **Exposure Indices**

IARC Monographs on the Evaluation Carcinogenic Risks to Humans World Health Organization

EU Directive 91/322/EEC and 2000/39/EC

NTP 11th Report on Carcinogens. US OSHA HazCom (GHS) 25 May 2012.

Full text of H-phrases:

H335	May cause respiratory irritation
H350	May cause cancer
H370	Causes damage to organs

Abbreviations and acronyms:

06/07/2018 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	ATE (Acute Toxicity Estimate)
	BCF (Bioconcentration factor)
	CAS (Chemical Abstracts Service) number
	EC50 (Effective Concentration 50%)
	IARC (International Agency for Research on Cancer)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods Code)
	IMO (International Maritime Organisation)
	LC50 (Lethal Concentration 50%)
	LD50 (Lethal Dose 50%)
	MAC (Maximal Allowed Concentration)
	OECD (Organisation for Economic Co-operation and Development)
	PBT (Persistent, Bioaccumulative and Toxic)
	PMcc (Pensky-Martens Closed Cup test)
	STEL (Short Term Exposure Limit)
	TLV (Threshold Limit Value) (ACGIH)
	TSCA (Toxic Substances Control Act) (US)
	TWA (Time Weighted Average)
·	UNxxxx (Number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods)
	vPvB (very Persistent and very Bioaccumulative)
	WHMIS (Workplace Hazardous Material Information System (Canada))
DA booth borned	

NFPA health hazard

: 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as

concrete, stone, and sand.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even

under fire conditions.

Hazard Rating

: 1 Slight Hazard - Irritation or minor reversible injury possible,* Chronic Hazard - Chronic (long-term) health effects may result from repeated overexposure

Flammability

: 0 Minimal Hazard - Materials that will not burn

Physical

Health

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection

: E

E - Safety glasses, Gloves, Dust respirator

Indication of changes:

Section Char	nged item	Change	Comments
3 Com	position/Information on	Modified	
, , , , , , , , , , , , , , , , , , , ,	dients		

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product